

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of : **Box PCT**
Eric RADIGAN et al. : **ATTN: PCT LEGAL**

Serial No.: 09/341,543 : Examiner: P. Szekely

Filed: February 17, 2000 : Group Art Unit: 1714

For: **PRESSURE-SENSITIVE ADHESIVE WHICH CAN BE APPLIED WHILE HOT**

#20/SM
12.12.02**SUBMISSION OF CORRECT TRANSLATION**


Commissioner for Patents
Washington, D.C. 20231

Sir:

During the prosecution of the application, applicants realized that an incorrect translation of the PCT application was filed. (In fact, the translation was of the priority document.) Attached is the correct translation of the application. Applicants request that the correct translation be substituted in the official file.

No fee is believed due at this time, however, the Commissioner is authorized to charge any fees associated with this response or credit any overpayment to Deposit Account No. 13-3402.

Respectfully submitted,



Csaba Henter (Reg. No. 50,908)
Harry B. Shubin (Reg. No. 32,004)
Attorneys for Applicant(s)

MILLEN, WHITE, ZELANO & BRANIGAN, P.C.
Arlington Courthouse Plaza I, Suite 1400
2200 Clarendon Boulevard
Arlington, Virginia 22201
(703) 812-5331 [Direct Dial]
Internet Address: henter@mwzb.com

Filed: December 2, 2002

HBS/CH(pdr)K:\ATOCM\100-199\151\REQ FOR SUBM OF TRANSL.DOC